

Table of Contents

Contents

1. ASCII File Format	1
1.1. Overview.....	1
1.2. File Name and Size.....	2
1.3. Election Night Results.....	3
1.4. Message Description	3
1.4.1. 'B' - Begin Messages.....	3
1.4.2. 'E' - End Messages	4
1.4.3. 'A' - County Reporting Status Messages	5
1.4.4. 'V' - Vote Messages	9
1.4.5. 'C' - Candidate Messages	13
1.4.6. 'P' - Precinct Messages	15
1.4.7. 'R' - Contest Messages	16
1.4.8. 'S' - Statewide Messages	17

1. ASCII File Format

1.1. Overview

Although all pre-election and election night messages vary in content, some formatting characteristics remain consistent throughout all message files. The characteristics are:

- All messages start with an open bracket '[' and terminate with a closed bracket']'. (**Note:** This is a change from previous elections.)
- A vertical bar '|' separates fields within all messages.
- A carriage return and line feed indicate the end of a record.
- Leading zeros '0' are suppressed on numeric fields.
- A single zero '0' represents a numeric field that contains a zero value.
- A single blank character ' ' represents an alphanumeric field that contains no data.
- All messages begin with the following three data fields:

Field	Length	Data Type	Message Description																		
Message Type	1	Alpha	Identifies the type of message <table><thead><tr><th><u>Message</u></th><th><u>Description</u></th></tr></thead><tbody><tr><td>B</td><td>Beginning of a message set</td></tr><tr><td>E</td><td>End of a message set</td></tr><tr><td>A</td><td>County reporting status</td></tr><tr><td>C</td><td>Candidate information</td></tr><tr><td>P</td><td>Precinct numbers by county</td></tr><tr><td>R</td><td>Contest codes and descriptions</td></tr><tr><td>S</td><td>County codes and names</td></tr><tr><td>V</td><td>Voting results</td></tr></tbody></table>	<u>Message</u>	<u>Description</u>	B	Beginning of a message set	E	End of a message set	A	County reporting status	C	Candidate information	P	Precinct numbers by county	R	Contest codes and descriptions	S	County codes and names	V	Voting results
<u>Message</u>	<u>Description</u>																				
B	Beginning of a message set																				
E	End of a message set																				
A	County reporting status																				
C	Candidate information																				
P	Precinct numbers by county																				
R	Contest codes and descriptions																				
S	County codes and names																				
V	Voting results																				
File Source	3	Alpha	Identifies the <u>CA</u> lifornia <u>S</u> ecretary of State's office as the source of the file The value will always be 'CAS'.																		

Field	Length	Data Type	Message Description
Sequence Number	Variable 1-4	Numeric	Sequential number assigned to each record - The sequence number for the first record in the file will always be '1'. - The sequence number is incremented by 1 for each subsequent message. - To ensure all messages are received correctly, the sequence numbers in each message file should be checked.

1.2. File Name and Size

The file name for the ASCII file is MyyEE.txt where:

M Message Type

<u>Value</u>	<u>Description</u>
C	Candidate message
P	Precinct message
R	Contest message
S	County codes message
J	Jurisdiction data message
V	Voting results message

yy Election Year

EE Election Type

<u>Value</u>	<u>Description</u>
PP	Presidential Primary
PG	Presidential General
DP	Direct Primary
GP	Gubernatorial Primary
GG	Gubernatorial General
SS	Statewide Special

The file names are case sensitive. The file names for the 2026 General Election are listed in the table below:

Message Type	Presidential General
C	C26GP.txt
P	P26GP.txt
R	R26GP.txt
S	S26GP.txt
V	V26GP.txt

1.3. Election Night Results

The data files created during the semi-official canvass include the 'A' messages (county reporting status) and the 'V' messages (voting results) in **one** file. The set of 'A' messages will appear in the file first, followed by the set of 'V' messages. The file includes the following messages:

Message	Description
B	Beginning of 'A' messages
A	County status
E	End of 'A' messages
B	Beginning of 'V' messages
V	Election results
E	End of 'V' messages

1.4. Message Description

Descriptions of the first three fields in each message file (Message Type Indicator, 'CAS', and Sequence Number) are noted previously in this document, and therefore are omitted from each of the following descriptions.

1.4.1. 'B' - Begin Messages

The 'B' message indicates the beginning of a new set of messages.

Sample

[B|CAS|1|20240215|2119040]

[	B		CAS		SEQ NBR "1"		Date YYYYMMDD		Time HHMMSSST	]
			3 bytes		1 byte		8 bytes		7 bytes	

Field	Length	Data Type	Message Description
Date	8	Numeric	Date the message was created - YYYYMMDD
Time	7	Numeric	Time the message was created - HHMMSSST

1.4.2. 'E' - End Messages

The 'E' message indicates the end of a set of messages.

Sample

[E|CAS|61|20240215|2120140]

[	E		CAS		SEQ NBR		Date YYYYMMDD		Time HHMMSSST	]
			3 bytes		1 to 4 bytes		8 bytes		7 bytes	

Field	Length	Data Type	Message Description
Date	8	Numeric	Date the message was created - YYYYMMDD
Time	7	Numeric	Time the message was created - HHMMSSST

1.4.3. 'A' - County Reporting Status Messages

The 'A' message provides the county reporting status for the semi-official canvass.

File Structure

Message	Description
B	Beginning of message set
A	County status
E	End of message set

Sample File

```
[B|CAS|1|20240215|1331130]
[A|CAS|2|01|R|0|0|795|1004|79.2|571897|744707|76.8|201204191324|201204191324]
...
...
[A|CAS|60|59|R|0|0|18388|22249|82.6|13658159|17028290|80.2|201204191324|20120
4191329]
[E|CAS|61|20240215|1334460]
```

[	A		CAS		SEQ NBR		County Code		Report Type		Report Number		Correction Report Number		Precincts Reporting		Total Precincts		Precincts Reporting Percentage		Voter Turnout		Total Registered Voters		Voter Turnout Percentage		First Report Timestamp		Last Report Timestamp	]
			3 bytes		1 to 2 bytes		1 to 2 bytes		0 to 1 byte		1 byte		1 byte		0 to 6 bytes		1 to 6 bytes		0 to 5 bytes		0 to 8 bytes		1 to 8 bytes		0 to 5 bytes		0 to 12 bytes		0 to 12 bytes	

Field	Length	Data Type	Message Description
County Code	2	Alphanumeric	Identifies the county - The counties are numbered in ascending sequential order proceeding alphabetically. - County 59 identifies a record that contains statewide information.

State of California – Election Night Data Feed Guide

Field	Length	Data Type	Message Description
Report Type	Variable 0-1	Alphanumeric	Type of report submitted - Null – No Report No report has been received by the county or all previous reports were removed by the county due to corrective action. - R – Election Night Report Reporting will continue until all precincts in the county have reported their Election Night Reports. More reports are to be expected on Election Night. - F – Semi-Final Election Night Report All precincts in the county have reported their Election Night results. County elections officials will continue counting ballots (vote-by-mail, provisional, etc.) during the 38-day post-election canvass period. These results are Semi-Final until the Secretary of State certifies the results of all state contests on December 11, 2026. - U – Update Report The county provided an update since the Semi-Final Election Night Report. Returns are updated as county elections officials process vote-by-mail, provisional, and other ballots during the 38-day post-election canvass period.
Report Number	1	Numeric	Defaults to zero.
Correction Report Number	1	Numeric	Defaults to zero.
Precincts Reporting	Variable 0-6	Numeric	Number of precincts reporting If zero, the field is null.
Total Precincts	Variable 1-6	Numeric	Total number of precincts for the contest The Total Precincts is subject to change if a county needs to adjust the total precinct counts prior to submitting the Final Report.
Precincts Reporting Percentage	Variable 0-5	Numeric	Percentage of precincts reported - If zero, the field is null. - The number will never be 100% until the county submits the Final Report.
Voter Turnout	Variable 0-8	Numeric	Number of ballots cast If zero, the field is null.
Total Registered Voters	Variable 1-8	Numeric	Number of registered voters The field will contain test data until the 15-day close of voter registration.

State of California – Election Night Data Feed Guide

Field	Length	Data Type	Message Description
Voter Turnout Percentage	Variable 0-5	Numeric	Percentage derived by dividing voter turnout by total registered voters - The field is null until a county submits a report. - The display is one-tenth of a percent, but the decimal point is present only when the tenth of a percent digit is not zero.
First Report Timestamp	Variable 0-12	Numeric	Time the county submitted the earliest report. Note: This field has changed to include the Year and is now twelve bytes instead of eight. Timestamp Format YYYYMMDDhhmm, where: YYYY Is a four-digit number that represents the year when the report was submitted. MM Is a two-digit number, ranging from 01 to 12, that represents the month when the report was submitted. DD Is a two-digit number, ranging from 01 to 31, that represents the day of the month when the report was submitted. hh Is a two-digit number, ranging from 00 to 23, that represents the hour when the report was submitted. mm Is a two digit-number, ranging from 00 to 59, that represents the minute. For the county 59 record, the field contains the timestamp of the first county to report.

State of California – Election Night Data Feed Guide

Field	Length	Data Type	Message Description
Last Report Timestamp	Variable 0-12	Numeric	Time the county submitted the latest report Note: This field has changed to include the Year and is now twelve bytes instead of eight. Timestamp Format YYYYMMDDhhmm, where: YYYY Is a four-digit number, that represents the year when the report was submitted. MM Is a two-digit number, ranging from 01 to 12, that represents the month when the report was submitted. DD Is a two-digit number, ranging from 01 to 31, that represents the day of the month when the report was submitted. hh Is a two-digit number, ranging from 00 to 23, that represents the hour when the report was submitted. mm Is a two digit-number, ranging from 00 to 59, that represents the minute. If the county has not submitted a report, the field is null. For the county 59 record, the field contains the timestamp of the latest county to report.

1.4.4. 'V' - Vote Messages

The 'V' message provides the election results.

Candidate names within a specific contest may not be presented in the same order as found in 'C' messages. Results are presented in numerical county sequence with county 59 representing statewide results as the **first** set of results for each contest.


File Structure

Message	Description
B	Beginning of message file
V	Election results
E	End of message file


Sample File

```
[B|CAS|1|20240215|1331130]
[V|CAS|2|020000000000|59|18388|22249|R|181|3567502|27.1|26.1|182|6517954|49.4|
47.7|183|1637195|12.4|12.0]
...
...
[V|CAS|119|190000000029|58|38|46|R|YES|4081|18.0|NO|18592|82.0]
[E|CAS|120|20240215|1334460]
```

For a candidate contest:



For a ballot measure contest:



Field	Length	Data Type	Message Description
Contest Id	12	Alphanumeric	Identifies the type of contest
County Code	Variable 1-2	Alphanumeric	Identifies the county - The counties are numbered in ascending sequential order proceeding alphabetically. - County 59 identifies a record contains statewide information.
Precincts Reporting	Variable 1-6	Numeric	Number of precincts reporting
Total Precincts	Variable 1-6	Numeric	Total number of precincts in this contest The total number of precincts is subject to change if a county needs to adjust the total precinct counts prior to submitting the Final Report.

State of California – Election Night Data Feed Guide

Field	Length	Data Type	Message Description
Report Type	1	Alphanumeric	Type of report submitted - Null – No Report No report has been received by the county or all previous reports were removed by the county due to corrective action. - R – Election Night Report Reporting will continue until all precincts in the county have reported their Election Night Reports. More reports are to be expected on Election Night. - F – Semi-Final Election Night Report All precincts in the county have reported their Election Night results. County elections officials will continue counting ballots (vote-by-mail, provisional, etc.) during the 38-day post-election canvass period. These results are Semi-Final until the Secretary of State certifies the results of all state contests. - U – Update Report The county provided an update since the Semi-Final Election Night Report. Returns are updated as county elections officials process vote-by-mail, provisional, and other ballots during the 38-day post-election canvass period.
Candidate Id	Variable 1-5	Alphanumeric	Uniquely identifies the candidate - Assigned by the Secretary of State's office. - There is no maximum number of candidate Id's per message record.
Votes	Variable 1-8	Numeric	Number of votes for the candidate OR Number of yes/no votes
Percent within Party	Variable 1-5	Numeric	Candidate's percentage of votes within his/her respective party - The display is one-tenth of a percent, but the decimal point is present only when the tenth of a percent digit is not zero. - Leading zeros are suppressed. - Zero percent displays as 0. - The sum of the percent by party for all candidates in a multiple-party contest can and will exceed 100.0%.

State of California – Election Night Data Feed Guide

Field	Length	Data Type	Message Description
Percent within Contest	Variable 1-5	Numeric	Candidate's percentage of votes within his/her respective party - The display is one-tenth of a percent, but the decimal point is present only when the tenth of a percent digit is not zero. - Leading zeros are suppressed. - Zero percent displays as 0. - The sum of percentages for all candidates in a contest will always total 100.0%.

1.4.5. 'C' - Candidate Messages

The 'C' message links candidates with a particular contest or contests. In the rare case where a candidate is running in more than one contest monitored by the Secretary of State's office, the candidate will receive a unique Candidate Id for each qualified contest.

File Structure

Message	Description
B	Beginning of message file
C	Candidate
E	End of message file

Sample File

```
[B|CAS|1|20240215|1018510]
[C|CAS|2|020000000000|181||Fernald|Colleen|Shea|01|Colleen Shea Fernald]
...
...
[C|CAS|101|190000000002|||Bonds for Public School and College Facilities|||
Bonds for Public School and College Facilities]
[E|CAS|102|20240215|1355490]
```

[	C	CAS	SEQ NBR	Contest Id	Cand Id	I N C U M B E N T	Last Name Or Ballot Measure Name	First Name	Middle Name	Party Code	Candidate Name as it Appears on the Ballot	]
		3 bytes	1 to 4 bytes	12 bytes	1 to 5 bytes		1 to 50 bytes	1 to 25 bytes	1 to 25 bytes	2 bytes	1 to 50 bytes	

State of California – Election Night Data Feed Guide

Field	Length	Data Type	Message Description																								
Contest Id	12	Alphanumeric	Identifies the type of contest																								
Candidate Id	Variable 1-5	Alphanumeric	Uniquely identifies the candidate - Assigned by the Secretary of State's office. - The number is unique to the candidate and the contest in which the candidate is running. - For ballot measure contests, the field is null.																								
Incumbent Indicator	1	Alphanumeric	Identifies the candidate as the current officeholder seeking re-election - If the candidate is the current officeholder, the value is a single asterisk character (*). - If the candidate is not the incumbent, the value is null.																								
Last Name	Variable 1-50	Alphanumeric	Last name of the candidate as it appears on the ballot																								
First Name	Variable 1-25	Alphanumeric	First name of the candidate as it appears on the ballot																								
Middle Name	Variable 1-25	Alphanumeric	Middle name of the candidate as it appears on the ballot																								
Party Code	2	Alphanumeric	Candidate's party affiliation <table><thead><tr><th><u>Value</u></th><th><u>Description</u></th></tr></thead><tbody><tr><td>Blank</td><td>Not Applicable</td></tr><tr><td>00</td><td>Not a Party Contest</td></tr><tr><td>01</td><td>Democratic Party</td></tr><tr><td>02</td><td>Republican Party</td></tr><tr><td>03</td><td>American Independent Party</td></tr><tr><td>04</td><td>Green Party</td></tr><tr><td>05</td><td>Libertarian Party</td></tr><tr><td>08</td><td>Peace and Freedom Party</td></tr><tr><td>13</td><td>Nonpartisan</td></tr><tr><td>14</td><td>No Party Preference</td></tr><tr><td>15</td><td>Blank</td></tr></tbody></table>	<u>Value</u>	<u>Description</u>	Blank	Not Applicable	00	Not a Party Contest	01	Democratic Party	02	Republican Party	03	American Independent Party	04	Green Party	05	Libertarian Party	08	Peace and Freedom Party	13	Nonpartisan	14	No Party Preference	15	Blank
<u>Value</u>	<u>Description</u>																										
Blank	Not Applicable																										
00	Not a Party Contest																										
01	Democratic Party																										
02	Republican Party																										
03	American Independent Party																										
04	Green Party																										
05	Libertarian Party																										
08	Peace and Freedom Party																										
13	Nonpartisan																										
14	No Party Preference																										
15	Blank																										
Candidate Name as it Appears on the Ballot	Variable 1-50	Alphanumeric	The full name of the candidate as it will appear on the ballot																								

1.4.6. 'P' - Precinct Messages

The 'P' message provides the number of precincts for each county.

The number of precincts for each county is not available until after the 15-day close of voter registration. For the 2026 General Election, the 15-day close of voter registration is Monday, October 19, 2026.

This file will contain test data until the actual precinct counts are received from all counties. Whenever a county changes the precinct count, media clients will be notified by the Secretary of State's office.

File Structure

Message	Description
B	Beginning of message file
P	Precinct
E	End of message file

Sample File

```
[B|CAS|1|20240215|1018510]
[P|CAS|2|010000000000|59|30615]
```

...

...

```
[P|CAS|119|190000000002|58|46]
[E|CAS|120|20240215|1355540]
```

[	P		CAS		SEQ NBR		Contest Id		County Code		Total Precincts	]
			3 bytes		1 to 4 bytes		12 bytes		2 bytes		1 to 6 bytes	

Field	Length	Data Type	Message Description
Contest Id	12	Alphanumeric	Identifies the type of contest
County Code	2	Alphanumeric	Identifies the county - The counties are numbered in ascending sequential order proceeding alphabetically. - County 59 indicates the record contains statewide information.
Total Precincts	Variable 1-6	Alphanumeric	Total number of precincts for the contest The total number of precincts is subject to change if a county needs to adjust the total precincts count prior to submitting the Final Report.

1.4.7. 'R' - Contest Messages

The 'R' message provides the contest identifiers and the description.

File Structure

Message	Description
B	Beginning of message file
R	Contest description
E	End of message file

Sample file

```
[B|CAS|1|20240215|1018510]
[R|CAS|2|010000000000|President|PG]
...
...
[R|CAS|39|110000010000|United States Representative District 1|PG]
[E|CAS|40|20240215|1355570]
```

[	R	CAS	SEQ NBR	Contest Id	Contest Description	Election Type	]
		3 bytes	1 to 3 bytes	12 bytes	1 to 40 bytes	2 bytes	

Field	Length	Data Type	Message Description														
Contest Id	12	Alphanumeric	Identifies the type of contest														
Contest Description	Variable 1-40	Alphanumeric	Name of the office, ballot measure (short description) or judgeship confirmation														
Election Type	2	Alphanumeric	Identifies the type of election: <table><thead><tr><th>Value</th><th>Description</th></tr></thead><tbody><tr><td>PP</td><td>Presidential Primary</td></tr><tr><td>PG</td><td>Presidential General</td></tr><tr><td>DD</td><td>Direct Primary</td></tr><tr><td>GP</td><td>Gubernatorial Primary</td></tr><tr><td>GG</td><td>Gubernatorial General</td></tr><tr><td>SS</td><td>Statewide Special</td></tr></tbody></table>	Value	Description	PP	Presidential Primary	PG	Presidential General	DD	Direct Primary	GP	Gubernatorial Primary	GG	Gubernatorial General	SS	Statewide Special
Value	Description																
PP	Presidential Primary																
PG	Presidential General																
DD	Direct Primary																
GP	Gubernatorial Primary																
GG	Gubernatorial General																
SS	Statewide Special																

1.4.8. 'S' - Statewide Messages

The 'S' message associates the county name with the county code.

File Structure

Message	Description
B	Beginning of message file
S	Statewide
E	End of message file

Sample

```
[B|CAS|1|20240215|1018510]
[S|CAS|2|01|Alameda]
...
[S|CAS|60|59|California]
[E|CAS|61|20240215|1355580]
```

[	S		CAS		SEQ NBR		County Code		County Name	]
			3 bytes		1 to 2 bytes		2 bytes		1 to 15 bytes	

Field	Length	Data Type	Message Description
County Code	2	Alphanumeric	Identifies the county - The counties are numbered in ascending sequential order proceeding alphabetically. - County 59 indicates the record contains statewide information.
County Name	Variable 1-15	Alphanumeric	County name

1.4.9. 'J' - Jurisdiction Messages

The 'J' message provides the number of registered voters for each district jurisdiction.

The number of registered voters for each county is not available until after the 15-day close of voter registration. For the 2026 Primary Election, the 15-day close of voter registration is Monday, October 19, 2026.

This file will contain test data until the 15-day Report of Registration data is published by the Secretary of State's office.

File Structure

Message	Description
B	Beginning of message file
J	Jurisdiction
E	End of message file

Sample File

[B|CAS|1|20260406|1018510]

[J|CAS|2|CG|US Congressional 1|456792]

...

[J|CAS|59|JO|Court of Appeal 6th Appellate District|1502546]

[E|CAS|184|20260406|1515442]

[	J		CAS		SEQ NBR		District Type Code		District Name		District Total Registered	]
			3 bytes		1 to 4 bytes		2 bytes		100 bytes		1 to 10 bytes	

Field	Length	Data Type	Message Description
District Type Code	2	Alphanumeric	Identifies the type of district
District Name	100	Alphanumeric	Name of district
District Total Registered	1-10	Numeric	'Total Registered' that are in the district.